

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S320	14	S318 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/08 13:51
S319	4	S317 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/08 13:49
S318	56	encrypt\$4 pass\$1word (along OR together OR alongside OR (in ADJ conjunction ADJ "with")) (data OR information OR message OR (source NEAR2 data)) (prior OR before) (transmit\$4 OR send\$3 OR transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/08 13:49
S317	36	encrypt\$4 pass\$1word (along OR together OR alongside OR (in ADJ conjunction ADJ "with")) (data OR information OR message OR (source NEAR2 data)) (transmit\$4 OR send\$3 OR transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/08/08 13:49
S316	1	encrypt\$4 pass\$1word (along OR together OR alongside OR (in ADJ conjunction ADJ "with")) (data OR information OR message OR (source NEAR2 data)) (prior OR before) (transmit\$4 OR send\$3 OR transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/08/08 13:49
S315	20	S314 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/08 13:49
S314	55	encrypt\$3 password (data OR information OR message OR (source NEAR2 data)) (prior OR before) (transmit\$4 OR send\$3 OR transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/08/08 13:44
S23	15	S22 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/08 13:36
S313	12	encrypt\$3 password (data OR information) prior (transmit\$4 OR send\$3) (convert\$3 OR translat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/08 13:35
S312	264	encrypt\$3 password (data OR information) prior (transmit\$4 OR send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/08 13:33
S311	11	encrypt\$3 password (data OR information) prior (transmit\$4 OR send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/08/08 13:33
S308	28	S306 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 20:55
S306	147	(server OR manager) (transmit\$4 OR download\$3) driver (communicat\$3 OR access\$3) (device OR printer OR (target NEAR2 (device OR terminal OR machine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/08/07 20:54

S9	15	S8 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 20:54
S30 3	151	configur\$5 NEAR2 driver NEAR2 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 20:51
S30 5	4	S303 AND S304	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 20:44
S30 4	43	IPP NEAR2 printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 20:44
S30 2	9303	configur\$5 NEAR2 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 20:44
S19 1	8	S190 SAME PROXY near SERVER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 20:43
S30 0	13	(US-6836792-\$ or US-6711154-\$ or US-6693729-\$ or US-6590588-\$ or US-6445779-\$ or US-6397259-\$ or US-6253326-\$ or US-6202086-\$ or US-6025931-\$ or US-6020980-\$ or US-5826034-\$ or US-6697942-\$ or US-5872926-\$).did.	USPAT	SAME	ON	2005/08/07 16:54
S29 9	12	S297 AND S298	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 16:49
S29 8	14100	(709/203,206,229,230,232,238).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 16:49
S29 7	159	S294 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 16:47
S29 6	65	S295 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 16:47
S29 5	148	(convert\$3 OR translat\$3 OR chang\$3) (((data NEAR2 (content OR type)) OR (application NEAR2 data) OR ((data OR file OR message) NEAR2 (type OR format)))) ((suitable OR compatible OR proper OR friendly OR appropriate) NEAR2 (format OR type OR protocol)) (printer OR facsimile OR e\$1mail OR (file NEAR2 server))	US-PGPUB; USPAT; USOCR	WITH	ON	2005/08/07 16:15

S29 4	412	(convert\$3 OR translat\$3 OR chang\$3) (((data NEAR2 (content OR type)) OR (application NEAR2 data) OR ((data OR file OR message) NEAR2 (type OR format)))) ((suitable OR compatible OR proper OR friendly OR appropriate) NEAR2 (format OR type OR protocol)) (printer OR facsimile OR e\$1mail OR (file NEAR2 server))	US-PGPUB; USPAT; USOCR	SAME	ON	2005/08/07 16:15
S24 6	10	S245 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 16:15
S29 2	10	("20020018234" "20030018720" "20030095542" "5675507" "5907598" "5956487" "6023345" "6170007" "6424426" "6626957").PN.	US-PGPUB; USPAT; USOCR	SAME	ON	2005/08/07 15:54
S28 9	5	IPP-compliant NEAR2 printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 15:31
S24 1	24	S238 AND ((driver NEAR database)OR((authorization OR adminstration)NEAR2 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 15:05
S28 8	31	S282 AND S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S28 7	23	S283 AND S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S28 6	5	S282 AND S283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S28 5	5	S282 AND S283 AND S284	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S28 4	23639	network NEAR2 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S28 3	87	driver NEAR2 administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S28 2	31	network NEAR2 resource NEAR2 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S28 1	43	(user NEAR2 access NEAR2 level)SAME (network NEAR3 resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S280	22	(user NEAR2 access NEAR2 level)WITH (network NEAR3 resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S279	97	(user NEAR2 access NEAR2 level)WITH resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S278	2070	user NEAR2 access NEAR2 level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S277	6	((Authorization AND authentication) NEAR2 server) AND (resource NEAR2 record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S276	5	(network NEAR2 driver NEAR2 application) SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S275	9	S271 SAME (access\$3 WITH control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S274	11	S272 AND fire\$1wall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S273	2	S272 AND (authorization NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S272	80	S271 AND (access\$3 WITH control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S271	128	network NEAR2 driver NEAR2 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S270	6	S269 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S269	54	(driver ADJ database)SAME driver SAME application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S268	11	S267 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S26 7	31	S266 SAME network SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S26 6	1100	providing WITH driver WITH application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S26 5	8	S264 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S26 4	18	S263 AND S236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S26 3	193	S262 SAME access SAME control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S26 2	6649	network NEAR printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S26 1	11	S260 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S26 0	30	access\$3 resource (protected OR firewall)driver application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 9	17	S257 AND S258	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 8	7367	resource access control network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 7	2916	IPP OR (Internet ADJ print ADJ protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 6	5	S251 AND S255	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 5	2457	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 14:04

S25 4	585	driver NEAR (identifier OR ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 3	2	S252 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 2	86	S251 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 1	244	(sending OR providing OR transmit\$4) driver application resource (network OR device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S25 0	11	S249 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S24 9	84	S248 AND firewall AND network AND proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S24 8	18106	printer WITH driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S24 7	0	authomatic\$3 printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S24 5	51	S244 AND firewall AND network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S24 4	1436	provid\$3 printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S24 3	40	firewall printer driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S24 2	28	firewall printer driver network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S24 0	17	S238 AND ((authorization OR adminstration)NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S23 9	5	S238 SAME ((authorization OR adminstration)NEAR2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 8	419	resource WITH driver WITH network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 7	5	S232 AND S236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 6	9074	(709/229, 713/200,201,202).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 5	3386	S231 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 4	4	S233 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 3	31	S231 AND S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 2	198	driver ADJ database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 1	6208	(send\$3 OR provid\$3)NEAR driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S23 0	9	S229 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 9	19	send\$3 NEAR2 driver NEAR3 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 8	50	S226 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 7	5	S226 AND (network NEAR resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S22 6	120	(send\$3 OR transmit\$4 OR transfer\$4)WITH S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 5	1467	driver NEAR3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 4	11	S223 and (AUTHORIZATION near2 SERVER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 3	439	S222 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 2	1952	FIREWALL PROXY SERVER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 1	32	S220 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S22 0	63	FIREWALL PROXY SERVER AUTHORIZATION	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 9	25	S217 and @AD<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 8	9	S217 AND (709/229, 713/200,201,202).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 7	46	(client OR user) SAME (public OR Internet) SAME network SAME firewall SAME S216	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 6	21519	(access NEAR3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 5	45	S214 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 4	282	Network WITH enabled WITH printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S21 3	7	S207 AND S212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 2	167	S211.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 1	2575	(resource NEAR3 access NEAR2 control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S21 0	23	S209 AND (fire\$1wall SAME proxy SAME server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S20 9	327	S207 AND (resource WITH access WITH control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S20 8	26	S206 AND S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S20 7	5119	(709/229,713/200,201,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 14:04
S20 6	203	fire\$1wall SAME resource SAME proxy SAME server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S20 5	988	alias NEAR name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S20 4	123	(Network NEAR5 resource)SAME proxy SAME server SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S20 3	9	(Network NEAR5 resource)SAME proxy SAME server SAME firewall SAME enterprise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S20 2	4	(Network NEAR resource)SAME proxy SAME server SAME firewall SAME enterprise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S20 1	5	S200 AND (resource WITH driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S20 0	31	(US-20020078183-\$ or US-20020083340-\$ or US-20020103903-\$ or US-20020144016-\$ or US-20030014521-\$ or US-20030037126-\$ or US-20030051038-\$ or US-20010054070-\$ or US-20020040400-\$ or US-20010039587-\$).did. or (US-5580177-\$ or US-6161139-\$ or US-6182142-\$ or US-6219786-\$ or US-6317838-\$ or US-6324648-\$ or US-6377994-\$ or US-6453353-\$ or US-6728787-\$ or US-6754693-\$ or US-6763467-\$ or US-6757740-\$ or US-6742039-\$ or US-6687732-\$ or US-6662228-\$ or US-6604143-\$ or US-6584508-\$ or US-6513061-\$ or US-6345300-\$ or US-6233618-\$ or US-6138162-\$).did.	US-PGPUB; USPAT	SAME	ON	2005/08/07 14:04
S19 9	13	S198 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S19 8	49	resource NEAR3 (access OR control)SAME(FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S19 7	11	resource NEAR (access OR control)SAME(FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S19 6	52	S195 AND @ad<"20000301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S19 5	97	S194 and (FIREWALL same (PROXY near2 SERVER))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S19 4	2457	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 14:04
S19 3	25	S192 and FIREWALL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S19 2	34	S190 AND (PROXY near SERVER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S19 0	295	polling NEAR server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S18 9	4	S180 AND S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S18 8	198	driver ADJ database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S18 7	16	S186 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S18 6	44	distribut\$3 NEAR3 driver NEAR4 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S18 5	9	S184 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S18 4	27	S182 AND S183	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S18 3	20461	(709/203,217,219,220,223,225,226,227,228,. 229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 14:04
S18 2	90	S180 AND firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S18 1	5	S180 SAME firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S18 0	422	access NEAR3(secured OR restricted) NEAR2 (resource OR printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S17 9	1823	network WITH resource WITH control WITH access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S17 8	29	(authoriz\$5 NEAR server) SAME control SAME access SAME resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S17 7	15	(authoriz\$5 NEAR server) WITH control WITH access WITH resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S17 6	16	S175 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S17 5	56	S174 NEAR2 (device OR resource OR printer OR IPP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S17 4	517	driver NEAR database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S17 3	6	((("6438586") or ("6360252") or ("5987611"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 14:04
S17 2	6	provid\$3 WITH driver WITH (client OR terminal OR user) AND S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S17 1	5	(private AND public) NEAR access and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S17 0	336	S167 and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S16 9	21051	resource NEAR3 control\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S16 8	17	driver NEAR application AND S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S16 7	2457	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 14:04
S16 6	18	S158 AND S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S16 5	181	(private AND public AND authorized) NEAR access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S16 4	12	S163 AND (driver NEAR4 (printer OR application OR module))SAME (client OR terminal OR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S16 3	323	receiv\$3 WITH request WITH (terminal OR client OR node OR device) WITH (network NEAR2 resource)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04

S16 2	15	S161 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S16 1	26	S158 AND S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S16 0	220	S159 AND (driver NEAR4 (printer OR application OR module))SAME (client OR terminal OR user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S15 9	7479	resource NEAR3 (allocation OR assign\$5 OR access) NEAR4 control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S15 8	20461	(709/203,217,219,220,223,225,226,227,228, 229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/07 14:04
S15 7	1	S156 AND (resource ADJ driver ADJ applications) AND (authorization ADJ server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S15 6	3	(resource ADJ (registry OR type OR records)) AND (network ADJ resource) AND (driver ADJ database)AND (Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04
S15 5	64	Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/08/07 14:04